



Ishida IP-Ai

PC-Based Large Label Roll Capacity Labeler with Color Touchscreen and Remote Scale Base

With fast weighing, and print speeds of 120 millimeters per second, the IP-Ai excels in high volume applications. Its front loading feature and large nine-inch label roll capacity keep you up and running longer. The ability to store and print custom graphics produces eye-catching labels with all nutritional, safe-handling, country of origin and ingredient information.

Designed to enhance visibility and productivity, the large color touch screen provides easy access to PLUs via category keys. Networking capability with ScaleLink Pro 5 and other third-party scale management software helps maintain consistent and accurate pricing.

From ergonomic design to high speed performance, the IP-Ai offers the latest technology to streamline prepackaging operations.

Specifications

Weighing Capacity (Dual-Range):

15kg x 0.005g/6kg x 0.002kg

Operating Environment:

Temperature: 23 -104°F (-5-40°C)

Humidity: 20-85% (no condensation)

Display Unit:

12.1 in TFT color LCD with LED backlight
SVGA (800 x 600)

Display Items:

Tare: Four-digits
Unit price: Five-digits
Weight: Five-digits
Total price: Six-digits

Interface:

USB x 4 channel
SD card x 1 channel

Memory Capacity:

2 GB

Communication:

Static TCP/IP 10/100 Base T Ethernet

Print Head:

76mm direct thermal (12 dot/mm)

Print Speed:

120 mm per second

Label Size:

Width: 38-80 mm
Length: 30-200 mm

Label Roll:

Inside diameter: 3.0 in (76mm) min.
Outside diameter: 9.0 in (230mm) max.

Weight:

Main body: 19kg
Scale unit: 6kg

Power Supply:

AC240V, 50/60Hz, 4A

Power Consumption:

Stand-by: 50W
In operation: 120W

Classification:

NMI: 6/4D/472

Warranty:

One-year limited warranty

Standard Features

- Large color touchscreen with printer and base scale
- Front-loading, 230mm label roll capacity
- 76mm thermal head
- Prints all legally required safe-handling, COOL and nutritional information
- Stores and prints graphics for custom labeling
- Ethernet communications
- Adjustable touchscreen viewing angle
- 19 tactile keys
- 2 GB of memory
- 30+ selectable fixed bar code formats
- Flexible setup for ergonomic operation

	MODEL	CAPACITY
	IP-Ai, large label roll capacity labeler with color touchscreen and remote scale base	15kg x 0.005g/6kg x 0.002kg



IP-Ai Label Drawer




Ishida IP-Ai

PC-Based Large Label Roll Capacity Labeler with Color Touchscreen and Remote Scale Base

DIMENSIONS			
A	11.8in (300mm)	D	13.2in (335mm)
B	9.1in (230mm)	E	18.7in (474mm)
C	14.5in (368mm)	F	26.4in (670mm)

BASE DIMENSIONS			
P	9.9in (252mm)	R	3.8in (95mm)
Q	16.9in (430mm)		



Local Distributor:

Perth Scale & Slicer Service

Unit 1, 195 Bannister Road

Canning Vale 6155 WA

PH: 08 9256 2544

Web: <http://www.perthscales.com.au>